



NEW PRODUCT Q & A

274535SP/01 Brilliant White 1K Primer

What is it best used for?

Fast dry projects – can be top coated within 20 minutes – up to 7 days
Reflective – coating – enhances brightness and eliminates LED lighting hot spots

How is this product mixed?

It is a single stage product with a mix ratio of 2:1 - 2 parts primer to 1 part reducer. To maintain RTS at or below 2.8 VOC compliancy – use Matthews Paint exempt reducers.

What is the pot life?

Single component – no pot life

What are the dry times for this new primer?

Dust free	10-15 minutes
Dry to touch	10-15 minutes
Dry to handle	20 minutes
Topcoat	20 minutes up to 7 days after spraying

What surfaces can it be applied over?

Aluminum	Blasted Steel
Steel	Carbon Steel

What is the VOC rating?

RTS VOC Actual .77 to 3.15 lbs/gal (92 to 377 g/L) depending on reducer selected.

Is it okay to clean with a solvent based cleaner?

You should never clean with a solvent based cleaner – water based is fine.