

SAFETY DATA SHEET

Print Date Jul-07-2015 Revision Date Jul-07-2015 Revision Number

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier Product code Product name

Product category

SIPM523 SIPM523 60 Richpale Gold Powder Metallic Powder or Paste

Other means of identification Synonyms

Recommended useOperationsRecommended usePrinting operations

None

Details of the supplier of the safety data sheet

UNITED STATES Nazdar Company 8501 Hedge Lane Terrace Shawnee, KS 66227 Tel: 1-913-422-1888 Tel: 1-800-677-4657 Fax: 1-913-422-2294 www.nazdar.com UNITED KINGDOM Nazdar Limited Barton Road Heaton Mersey Stockport, England SK4 3EG Tel: +44 161 442 2111

Emergency telephone number

USA: Chemtrec: 1-800-424-9300 Outside USA: Chemtrec: 1-703-527-3887 24 Hour Emergency Phone Number

2. HAZARDS IDENTIFICATION

Classification

Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)

Label elements



Warning

Hazard Statements

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

P273 - Avoid release to the environment

Hazards not otherwise classified (HNOC)

No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Component	CAS-No	Weight %	Trade Secret	Note
Copper	7440-50-8	60 - 100	*	
Zinc	7440-66-6	10 - 30	*	

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice Eye Contact	Show this safety data sheet to the doctor in attendance. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if irritation develops and persists.
Skin Contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. If irritation (redness, rash, blistering) develops, get medical attention.
Inhalation	Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. Get medical attention immediately.
Ingestion	DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

Most important symptoms and effects, both acute and delayed

None under normal use conditions.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Foam. Carbon dioxide (CO2). Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. May emit toxic fumes under fire conditions. Powdered material may form explosive dust-air mixture.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers / tanks with water spray. Sealed containers may rupture when heated.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

 Personal Precautions
 Remove all sources of ignition. Ventilate the area. Avoid contact with eyes, skin and clothing. Avoid breathing dust or vapor. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained.

Methods and material for containment and cleaning up

Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Use appropriate personal protective equipment (PPE). Carefully shovel or sweep up spilled material and place in suitable container. Avoid generating dust. Use only non-sparking tools. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

HandlingUse personal protective equipment as required. Do not eat, drink or smoke when using this
product. Ensure adequate ventilation.Conditions for safe storage, including any incompatibilitiesKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from
open flames, hot surfaces and sources of ignition. Keep container closed when not in use.
Keep out of the reach of children.Incompatible ProductsStrong acids. Strong bases. Strong oxidizing agents. Reducing agent.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure limits

Component	ACGIH TLV
Copper 7440-50-8	TWA: 0.2 mg/m³ (fume)
Component	OSHA PEL

component	USHA FEL
Copper	TWA: 0.1 mg/m ³ (dust, fume, mist)
7440-50-8	TWA: 0.1 mg/m ³ (fume)
	TWA: 1 mg/m ³ (dust and mist)

Component	Ontario TWAEV
Copper	TWA: 0.2 mg/m ³ (fume)
7440-50-8	TWA: 1 mg/m ³ (dust and mist)

Component	Mexico OEL (TWA)
Copper	TWA/LMPE-PPT: 0.2 mg/m ³ (fume)
7440-50-8	TWA/LMPE-PPT: 1 mg/m ³ (dust and mist)
	STEL/LMPE-CT: 2 mg/m ³ (fume)
	STEL/LMPE-CT: 2 mg/m ³ (dust and mist)

Appropriate engineering controls

Engineering Measures Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. Users are advised to consider national Occupational Exposure Limits or other equivalent values. In case of insufficient ventilation, wear suitable respiratory equipment.

Individual protection measures, such as personal protective equipment

Eye/face Protection	Wear safety glasses with side shields (or goggles). If splashes are likely to occur:. Wear suitable face shield. Ensure that eyewash stations and safety showers are close to the workstation location.
Skin Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

	as appropriate, to prevent skin contact.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before eating, drinking or smoking. Wash contaminated clothing before reuse. Avoid contact with eyes, skin and clothing. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and Physical State Odor	<u>chemical properties</u> Powder Odorless	Appearance Odor Threshold	Gold No information available
Property pH Melting point/freezing point Boiling point/Boiling Range Flash Point Evaporation rate Flammability Limit in Air Upper flammability limit Lower flammability limit	Values	RemarksMethodNo data availableNo data availableNo data availableNot applicableNot data availableNo data available	No information available
Vapor Pressure Vapor Density Specific Gravity Water Solubility Solubility in other solvents Partition coefficient: n-octanol/wate Autoignition Temperature Decomposition temperature Kinematic viscosity Dynamic viscosity	7.99 er	No data available No data available	
Explosive Properties Oxidizing Properties	No data available No data available		
Other Information			
Photochemically Reactive Weight Per Gallon (Ibs/gal)	No 66.64		
VOC by weight % (less water) 0-1	VOC by volume % (less water) 0-1	VOC Ibs/gal (less water) 0-1	VOC grams/liter (less water) 0-1

10. STABILITY AND REACTIVITY

Reactivity

No information available.

Chemical stability

Stable under normal conditions.

Possibility of Hazardous Reactions None under normal processing.

<u>Conditions to avoid</u> Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	There is no data for this product.
Eye Contact	There is no data for this product.
Skin Contact	There is no data for this product.
Ingestion	There is no data for this product.

Information on toxicological effects

Symptoms

There is no data for this product.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Eye damage/irritation Irritation Corrosivity Sensitisation Mutagenic Effects Reproductive Effects STOT - single exposure STOT - repeated exposure Chronic Toxicity Aspiration hazard	There is no data for this product. There is no data for this product.
	I

Numerical measures of toxicity - Product Information

12. ECOLOGICAL INFORMATION

Ecotoxicity

None known

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Component	Algae/aquatic plants
Copper	96h EC50 Pseudokirchneriella subcapitata: 0.031 - 0.054 mg/L
7440-50-8	[static]
	72h EC50 Pseudokirchneriella subcapitata: 0.0426 - 0.0535 mg/L
	[static]
Zinc	72h EC50 Pseudokirchneriella subcapitata: 0.09 - 0.125 mg/L
7440-66-6	[static]
	96h EC50 Pseudokirchneriella subcapitata: 0.11 - 0.271 mg/L
	[static]

Component	Fish
Copper 7440-50-8	96h LC50 Pimephales promelas: 0.0068 - 0.0156 mg/L 96h LC50 Pimephales promelas: <0.3 mg/L [static] 96h LC50 Oncorhynchus mykiss: 0.052 mg/L [flow-through] 96h LC50 Poecilia reticulata: 0.112 mg/L [flow-through] 96h LC50 Pimephales promelas: 0.2 mg/L [flow-through] 96h LC50 Cyprinus carpio: 0.3 mg/L [static] 96h LC50 Cyprinus carpio: 0.8 mg/L [static] 96h LC50 Lepomis macrochirus: 1.25 mg/L [static]
Zinc 7440-66-6	96h LC50 Pimephales promelas: 0.211 - 0.269 mg/L [semi-static] 96h LC50 Pimephales promelas: 2.16 - 3.05 mg/L [flow-through] 96h LC50 Oncorhynchus mykiss: 0.24 mg/L [flow-through] 96h LC50 Oncorhynchus mykiss: 0.41 mg/L [static] 96h LC50 Cyprinus carpio: 0.45 mg/L [semi-static] 96h LC50 Oncorhynchus mykiss: 0.59 mg/L [semi-static] 96h LC50 Pimephales promelas: 2.66 mg/L [static] 96h LC50 Lepomis macrochirus: 3.5 mg/L [static] 96h LC50 Cyprinus carpio: 30 mg/L 96h LC50 Cyprinus carpio: 7.8 mg/L [static]

Component	Crustacea
Copper	48h EC50 Daphnia magna: 0.03 mg/L [static]
7440-50-8	
Zinc	48h EC50 Daphnia magna: 0.139 - 0.908 mg/L [static]
7440-66-6	

Persistence and Degradability

No information available.

Bioaccumulation

No information available.

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Waste Disposal Methods	Contain and dispose of waste according to local regulations.
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

DOT UN/ID no. **Proper Shipping Name Hazard Class Packing Group**

UN3089 Metal Powders, Flammable, NOS 4.1 Ш

ICAO / IATA / IMDG / IMO UN/ID no.

Proper Shipping Name Hazard Class **Packing Group**

UN3089 Metal Powders, Flammable, NOS 4.1 Ш

International Inventories

15. REGULATORY INFORMATION

All components are listed on the TSCA Inventory. For further information, please contact:. Supplier (manufacturer/importer/downstream user/distributor).

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS-No	Weight %	SARA 313 - Threshold Values
Copper	7440-50-8	60 - 100	1.0
Zinc	7440-66-6	10 - 30	1.0

Zinc is reportable under SARA313 ONLY if it is a fume or dust form. Fume or dust refers to dry forms but does not refer to "wet" forms such as use in a solution or slurry.

Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

U.S. State Regulations

Component	Massachusetts Right To Know
Copper 7440-50-8	X
Zinc 7440-66-6	X

Component	Minnesota Right To Know	
Copper	Х	
7440-50-8		

Component	New Jersey Right To Know
Copper	Х
7440-50-8	
Zinc	Х
7440-66-6	

Component	Pennsylvania Right To Know
Copper 7440-50-8	Х
Zinc 7440-66-6	Х

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects

<u>Canada</u>

Component	NPRI - National Pollutant Release Inventory		
Copper 7440-50-8	Part 1, Group A Substance total of the pure element and the equivalent weight of the element contained in any compound, alloy or mixture		
Zinc 7440-66-6	Part 1, Group A Substance total of the pure element and the equivalent weight of the element contained in any compound alloy or mixture		

16. OTHER INFORMATION				
HMIS:	Health	Flammability	Reactivity	Personal Protection
	1 *	1	0	X

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend- Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTIONTWATWA (time-weighted average)STELSTEL (Short Term Exposure Limit)CeilingMaximum limit value

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen
A2 - Suspected Human Carcinogen
A3 - Animal Carcinogen
IARC: (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans
Group 2A - Probably Carcinogenic to Humans
Group 2B - Possibly Carcinogenic to Humans
NTP: (National Toxicity Program)
Known - Known Carcinogen
Reasonably Anticipated to be a Human Carcinogen
OSHA: (Occupational Safety & Health Administration)
X - Present

Revision Date Jul-07-2015

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS