Ulano

MATERIAL SAFETY DATA SHEET

(According to ANSI Z400.1-2004)

PRODUCT NAME: QX-5[™] Blue: Direct Emulsion

Previous Issue: March 23, 2011

Date Prepared: August 2, 2013

1. IDENTIFICATION OF PRODUCT AND COMPANY

Product Name: Company:	QX-5 [™] Blue: Direct Emulsion ULANO® CORPORATION 110 Third Avenue
Phone:	Brooklyn, NY 11217 718-237-4700
Fax:	718-802-1119
u	1-800-424-9300 (CHEMTREC)
MSDS prepared by: Recommended use:	P.Drago Manufacture of stencils for screen printing
	· · ·

2. HAZARD IDENTIFICATION OF THE PREPARATION

This preparation is not classified as hazardous according to 29CFR 1910-1200. Appearance / Odor: viscous liquid / mild odor

Potential Heal	th Effects:	See Section 11 for more information
Potential Healt	th Effects: Eyes th Effects: Skin: th Effects: Ingestion	This product may be irritating to the eyes. Repeated exposure may irritation to skin Ingestion of this product may be irritating to the digestive system.
Potential Heal Xi 36	th Effects: Inhalation Irritant Irritating to eyes	No known effect
Target Organs:		not known

This product does not contain any carcinogens or potential carcinogens as listed by OSHA, IARC, or NTP.

Potential Environmental Effects: See Section 12 for more information.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture of the below mentioned materials Hazardous components:

EINECS-No CAS-No.	Name R-phrases	Hazard	%content
Trade Secret	Acrylates 36	Xi	5.0-15.0%

Additional information:

For full text of risk phrases see Section 16.

Date Prepared: August 2, 2013

4. FIRST AID MEASURES

Inhalation:

Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

Ingestion:

Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical attention. Place in stable side position and seek medical advice. If breathing is irregular or has stopped, apply artificial respiration.

Skin Contact:

Immediately flush skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention if irritation develops. Wash clothing before reuse.

Eye Contact:

Immediately flush eyes with plenty of water for at least 15 minutes, lifting lower and upper eyelids occasionally. Get medical attention immediately.

5. FIRE-FIGHTING MEASURES

Flammable: no Means of extinction: treat surrounding fire Suitable extinguishing media: Hard water stream

Flash point: n.aUpper flammable limit: n.aExplosion data impact: n.aLower flammable limit: n.aExplosion data static: n.aHazardous combustion products: typical carbon oxygen compounds.Fire fighters should wear SCBA for fighting fires in enclosed areas.Auto ignition temp: n.a

6. ACCIDENTAL RELEASE MEASURES

Do not empty large quantities directly into drains. Collect with liquid absorbing material and proceed according to local waste disposal regulations.

7. HANDLING AND STORAGE

Keep container tightly closed and in a cool and well ventilated place. Ensure adequate ventilation. Avoid contact with skin and eyes. **PRODUCT NAME:**

QX-5[™] BLUE: DIRECT EMULSION

Date Prepared: August 2, 2013

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Occupational exposure limit: CAS # Name No exposure limits established for ingredients

OSHA TWA

ACGIH TWA

Engineering controls

General:	not required
Local exhaust:	recommended
Other:	none
Personal Protection	
Gloves:	recommended
Respirator:	not required
Protective goggles:	recommended
Protective footwear:	not required
Protective clothing:	not required
Other:	none

9. PHYSICAL AND CHEMICAL PROPERTIES

Form:	viscous liquid
Color:	blue
Odor:	mild
Flash point:	n.a
Ignition temperature:	n.a
Density:	~1.1 g/cm ³
Viscosity:	~7,000 cps @ 20°C
Explosion limits:	n.a
Boiling point:	~212°F (100° C)
Vapor density:	>1(air=1)
Vapor pressure:	23hPa @ 25°C
Freezing point:	not known
pH:	<4.0
Coefficient of water/ oil distri	bution: not known

Volatile Organic Compounds: less than 0.1%

10. STABILITY AND REACTIVITY

Stable under recommended storage and handling conditions (see Section 7). Store as a non-hazardous liquid **INCOMPATABILITY:** Strong oxidizers

QX-5[™] BLUE: DIRECT EMULSION

Date Prepared: August 2, 2013

11. TOXICOLOGICAL INFORMATION

Effects of acute exposure:

C	COMPONENT	CAS#	LD ₅₀	LC ₅₀
	Acrylates	Trade Secret	>5,000 mg/kg, oral rat	Not established

General information:

Effects of acute exposure: Repeated or prolonged contact causes local irritation of skin and mucous membranes, particularly the eyes.

Irritancy of product:	possible
Skin sensitization:	none reported
Respiratory sensitization:	none known
Carcinogenicity:	no
IARC:	no
ACGIH:	no
Reproductive toxicity:	none known
Teratogenicity:	none known
Embryotoxicity:	none known
Mutagenicity:	none known
Name of synergistic products	s/effects: none known

12. ECOLOGICAL INFORMATION

Do not empty into drains or release into open water. Do not store at public waste disposal sites.

13. WASTE DISPOSAL INFORMATION

Dispose of as a non-hazardous aqueous waste Empty container: scrap metal recycling or re-conditioning Soiled container: (treatment like product itself)

14. TRANSPORT INFORMATION

Class: Not regulated UN: n.a
n.a
Class: not regulated EMS: n.a UN: n.a
No n.a

QX-5[™]BLUE: DIRECT EMULSION

Date Prepared: August 2, 2013

15. REGULATORY INFORMATION

Global Inventories (components):

TSCA:	United States.	included
DSL:	Canada.	included
ENCS:	Japan.	included
EINECS	: Europe.	included

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65)

This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins under California Proposition 65 at levels which would be subject to the proposition.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of information required by the CPR, and it is not classified as a hazardous material.

Labeling

n.a

R-phrases:

36 Irritating to eyes

S-phrases:

26 In case of contact with eyes, rinse immediately with plenty of water and seek medical attention

Special labeling:

n.a

National Regulation for Germany: Water pollution class: 1

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all of information required by the CPR, and it is not classified as a hazardous material.

QX-5[™] BLUE: DIRECT EMULSION

Date Prepared: August 2, 2013

16. OTHER INFORMATION

HMIS: Health 1, Flammability 0, Reactivity 0

Text of risk phrases mentioned in Section 2:

Xi	Irritant
36	Irritating to eyes

For further information please refer to our technical information sheet. Data in this MSDS correspond with our current level of knowledge, but do not represent any assurance of product properties. The user personally is responsible for compliance with all legal requirements.

DISCLAIMER OF RESPONSIBILITY:

This document is generated for the purpose of distributing health, safety and environmental data. It is not a specification sheet nor should any displayed data be construed as a specification. The information on this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with handling, storage, use, or disposal of this product.