PROCLAIM Article No .:

Revision date 3/22/2016 Print date 8/13/2016 Issue date 3/22/2016 Version 1.1



Page 1 / 6

1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifiers

Article No. (manufacturer/supplier):

Identification of the substance or mixture **PROCLAIM**

12 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Stencil production for screen and textile printing. Reserved for industrial and professional use.

1.3. Details of the supplier of the safety data sheet

supplier (manufacturer/importer/downstream user/distributor)

ULANO® CORPORATION

110 Third Avenue Telephone: +1 718-237-4700 Brooklyn, NY 11217 Telefax: +1 718-802-1119 USA E-mail info@ulano.com

Information contact:

E-mail (competent person): P. Drago dragop@ulano.com

1.4. Emergency telephone number

Emergency telephone: 1-800-424-9300 (CHEMTREC)

2. Hazards identification

2.1. Classification of the substance or mixture

Classification according to GHS

This mixture is classified as hazardous according to GHS

Skin Sens. 1 / H317 respiratory or skin sensitisation May cause an allergic skin reaction.

2.2. Label elements

The product is classified and labelled according to GHS.

Labelling according to GHS

Hazard pictograms



Warning

Hazard statements

H317 May cause an allergic skin reaction.

Precautionary statements

P280 Wear protective gloves and eye/face protection.

contains:

ethoxylated (3) trimethylolpropane triacrylate

1,2-benzisothiazol-3(2H)-one

2.3. Other hazards

3. **Composition / Information on ingredients**

3.2. Mixtures

Product description / chemical characterization

Description Mixture of components, as listed below, with nonhazardous constituents

Hazardous ingredients

Classification according to GHS

EC No. **REACH No.** CAS No. Chemical name Wt % INDEX No. classification: Remark

500-066-5 01-2119489900-30

28961-43-5 ethoxylated (3) trimethylolpropane triacrylate 1 - 5

Eye Irrit. 2 H319 / Skin Sens. 1 H317

Article No.: Print date

Version

8/13/2016

PROCLAIM

Revision date 3/22/2016 Issue date 3/22/2016 USA Page 2 / 6



< 0.1

220-120-9

613-088-00-6

2634-33-5

1,2-benzisothiazol-3(2H)-one

Acute Tox. 4 H302 / Acute Tox. 2 H330 / Skin Irrit. 2 H315 / Eye Dam. 1

H318 / Skin Sens. 1 H317 / Aquatic Acute 1 H400 / Aquatic Chronic 2

H411

Additional information

Full text of classification: see section 16

4. First-aid measures

4.1. Description of first aid measures

General information

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water and soap.Remove contaminated, saturated clothing immediately.

After eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

After ingestion

Seek medical advice immediately. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam Water mist Carbon dioxide

Extinguishing media which must not be used for safety reasons:

strong water jet

5.2. Special hazards arising from the substance or mixture

Gases/vapours, toxic

5.3. Special protective equipment for firefighters:

Provide a conveniently located respiratory protective device.

Additional information

The danger areas must be delimited and identified using relevant warning and safety signs. Cool closed containers that are near the source of the fire.Do not allow water used to extinguish fire to enter drains, ground or waterways. Treat runoff as hazardous.

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Keep away from sources of ignition. Ventilate affected area.Remove persons to safety. Do not breathe vapours.See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Provide good ventilation.

6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see chapter 13).

6.4. Reference to other sections

Observe protective provisions (see chapter 7 and 8).

Article No.: Print date

Version

8/13/2016 1.1

PROCLAIM

Revision date 3/22/2016 Issue date 3/22/2016



7. Handling and storage

Precautions for safe handling

Advices on safe handling

Heed the usual precautionary measures of handling chemicals.

Avoid: Generation/formation of aerosols

VCI-storage class, see Chapter 15

7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Always keep in containers that correspond to the material of the original container. Ensure adequate ventilation of the storage

Additional information

VCI-storage class, see Chapter 15

7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

8. **Exposure controls / Personal protection**

8.1. Control parameters

Occupational exposure limit values:

n.a.

DNEL:

ethoxylated (3) trimethylolpropane triacrylate

EC No. 500-066-5 / CAS No. 28961-43-5

DNEL long-term dermal (systemic), Workers: 0.8 mg/kg DNEL long-term inhalative (systemic), Workers: 16.2 mg/m³

PNEC:

ethoxylated (3) trimethylolpropane triacrylate

EC No. 500-066-5CAS No. 28961-43-5

PNEC aquatic, freshwater: 0.0019 mg/L

PNEC aquatic, marine water: 0.0002 mg/L

PNEC sediment, freshwater: 0.0082 mg/kg

PNEC sediment, marine water: 8.2 x10^-4 mg/kg

8.2. Exposure controls

Provide good ventilation.

Personal protection equipment

Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used. Observe the wear time limits according GefStoffV in combination with the rules for using respiratory protection apparatus (BGR 190).

Hand protection

Wear chemical resistant protective gloves.

Eye protection

Wear closed protection glasses.

Protective clothing

Protective measures

Avoid contact with skin, eyes and clothes. After contact clean skin thoroughly with water and soap or use appropriate cleanser.

Environmental exposure controls

Do not allow to enter into surface water or drains.

Article No.: PROCLAIM

 Print date
 8/13/2016
 Revision date 3/22/2016
 USA

 Version
 1.1
 Issue date 3/22/2016
 Page 4 / 6



9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance:

Physical stateliquidColourrefer to labelOdourcharacteristic

Safety relevant basis data Method Remark

Flash point: n.a.

Ignition temperature (AIT) n.a.

Lower explosion limit n.a.

Upper explosion limit n.a.

Vapour pressure at 20 °C: n.a.

Density at 20 °C: 1.02 g/cm³

Water solubility (g/L) very soluble

pH at 20 °C:

Viscosityat 20 °C: 11700 mPa·s

Initial boiling point and boiling range 0 °C (101,3 kPa)

Decomposition temperature (°C):

9.2. Other information:

10. Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to chapter 7.

10.3. Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

- 10.4. Conditions to avoid
- 10.5. Incompatible materials
- 10.6. Hazardous decomposition products

11. Toxicological information

Classification for mixtures and used evaluation method according to GHS No data on preparation itself available.

11.1. Information on toxicological effects

Acute toxicity

Toxicological data are not available.

skin corrosion/irritation; Serious eye damage/eye irritation

Toxicological data are not available.

Respiratory or skin sensitisation

Toxicological data are not available.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Toxicological data are not available.

Specific target organ toxicity

Toxicological data are not available.

Aspiration hazard

Toxicological data are not available.

Practical experience/human evidence

Other observations:

Prolonged or repeated contact with the preparation can lead to irritations of mucous membranes and of skin such as redness, formation of blebs, dermatitis, etc..

Overall Assessment on CMR properties

Article No.: Print date

Version

8/13/2016

PROCLAIM

Revision date 3/22/2016 Issue date 3/22/2016



The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

Remark

There is no information available on the preparation itself.

12. Ecological information

overall evaluation

Classification for mixtures and used evaluation method according to GHS

Do not store at public landfills.

Technically correct releases of minimal concentrations to adapted biological sewage plants, will not disturb the biodegradability of activated sludge.

12.1. Toxicity

No information available.

Long-term Ecotoxicity

Toxicological data are not available.

12.2. Persistence and degradability

Toxicological data are not available.

12.3. Bioaccumulative potential

Toxicological data are not available.

Bioconcentration factor (BCF)

Toxicological data are not available.

12.4. Mobility in soil

Toxicological data are not available.

12.5. Results of PBT assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6. Other adverse effects

13. Disposal considerations

13.1. Waste treatment methods

Appropriate disposal / Product

Recommendation

packaging

Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

14. Transport information

No dangerous good in sense of this transport regulation.

14.1. UN number

n.a.

14.2. UN proper shipping name

14.3. Transport hazard class(es)

n.a.

14.4. Packing group

n.a.

14.5. Environmental hazards

Land transport (ADR/RID) n.a.

Marine pollutant n.a.

14.6. Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Article No.: PROCLAIM

Print date 8/13/2016 Revision date 3/22/2016
Version 1.1 Issue date 3/22/2016



Advices on safe handling: see parts 6 - 8

Additional information

Land transport (ADR/RID):

tunnel restriction code

Sea transport (IMDG)

EmS-No. n.a.

Packaging >30 I

Land transport (ADR / RID / DOT):

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Observe in addition any national regulations!

calculated with mixing rule

Substance/product listed in the following inventories:

Listed in TOXIC SUBSTANCES CONTROL ACT (TSCA)

15.2. Chemical Safety Assessment

Chemical safety assessments for substances in this preparation were not carried out.

16. Other information

Full text of classification in section 3:

Eye Irrit. 2 / H319 Serious eye damage/eye irritation Causes serious eye irritation.

Skin Sens. 1 / H317 respiratory or skin sensitisation May cause an allergic skin reaction.

Acute Tox. 4 / H302 Acute toxicity (oral) Harmful if swallowed.

Acute Tox. 2 / H330 Acute toxicity (inhalative) Fatal if inhaled.

Skin Irrit. 2 / H315 skin corrosion/irritation Causes skin irritation.

Eye Dam. 1 / H318 Serious eye damage/eye irritation Causes serious eye damage.

Aquatic Acute 1 / H400 Hazardous to the aquatic environment Very toxic to aquatic life.

Aquatic Chronic 2 / H411 Hazardous to the aquatic environment Toxic to aquatic life with long lasting effects.

Additional information

Classification for mixtures and used evaluation method according to GHS

The information supplied on this safety data sheet is correct to the best of our knowledge. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.