



MATERIAL SAFETY DATA SHEET

SECTION 1 — PRODUCT IDENTIFICATION

Product identifier: Safe-T-Tack Water Based Adhesive

Product Code: 1081, 1082, 1083 & 1085

Date of Preparation: 10/06/05

Revision Date: 01/16/12

Supplier name and address:

ALBATROSS USA INC./EXPERT WORLDWIDE

36-41 36th Street
Long Island City, New York
United States
11106
718-392-6272

5439 San Fernando Road West
Los Angeles, California
United States
90039
818-543-5850

Emergency Telephone #: Chemtrec (Day or Night) 800-424-9300
(For Chemical Emergency: Spill, Leak, Fire, Exposure or Accident)

This MSDS complies with 29CFR 19190.1200 (Hazard Communication Standard) and WHMIS regulations.

IMPORTANT: Read this MSDS before handling and disposing of this product. Pass this information on to employees, customers, and users of this product.

SECTION 2 — COMPOSITION

<u>Chemical Name/CAS No.</u>	<u>OSHA Exposure Limits</u>	<u>ACGIH Exposure Limits</u>	<u>Other Exposure Limits</u>
WATER 7732-18-5	Infinite	Infinite	

SECTION 3 — HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: The health hazards of this product should be low under normal industrial uses.

HMIS Rating: Health - 1
Flammability - 0
Physical Hazard - 0
Personal Protection - A

Hazard Rating Key: 4 - Extreme
3 - High
2 - Moderate
1 - Slight
0 - Insignificant

A – Safety Glasses or Goggles

PRIMARY ROUTES OF ENTRY: Eyes, skin, ingestion, inhalation.

Inhalation Skin Contact Eye Contact Ingestion

TARGET ORGANS: Overexposure may cause damage to the following target organs or systems:
N/A

Potential Adverse Health Effects:

ACUTE EFFECTS N/A

CHRONIC N/A

CARCINOGENICITY: The following components comprise 0.1% or more of this mixture and are listed and/or classified as carcinogens by the National Toxicology Program (NTP), the International Agency for Research on Cancer (IARC), the Occupational Safety and Health Administration (OSHA) or the American Conference of Governmental and Industrial Hygienists (ACGIH):

N/A

SECTION 4 — FIRST AID MEASURES

INHALATION: N/A

EYES: Flush eyes abundantly with clean water and refer to physician.

SKIN: Wash with soap and water. Refer to a physician if irritation persists.

INGESTION: Treat symptomatically and refer to a physician.

SECTION 5 — FIRE FIGHTING MEASURES

Flash Point: N/A

Autoignition: N/A

LEL: N/A

UEL: N/A

EXTINGUISHING MEDIA: For dry film, use CO₂, foam, or dry chemical.

UNUSUAL FIRE AND EXPLOSION HAZARDS: N/A

HAZARDOUS COMBUSTION PRODUCTS: Refer to Section X (10).

BASIC FIRE FIGHTING PROCEDURES: Dry film will burn. Cool exposed surfaces with water spray.

FIRE EQUIPMENT: Wear full protective clothing, including helmet, NIOSH/MSHA approved, self-contained breathing apparatus and face mask. Avoid breathing smoke, fumes and decomposition products.

SECTION 6 — ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Isolate the spill area. Floor may become slippery.

CONTAINMENT PROCEDURES (SMALL RELEASES): Absorb spill in sand, earth, vermiculite or industrial absorbent material. Carefully transfer to approved hazardous waste storage container and cover.

CONTAINMENT PROCEDURES (LARGE RELEASES): Cleanup should be handled by operators trained to handle chemical spills, wearing the appropriate protective equipment. Absorb spill in sand, earth, vermiculite, or industrial absorbent material. Carefully transfer to approved waste storage container and cover. Dike spills to prevent runoffs. **Dispose of in accordance with federal, state and local waste disposal regulations.**

SECTION 7 — HANDLING & STORAGE

HANDLING: For Industrial Use Only.

STORAGE: : Keep from freezing. Store in a cool place in original container and protect from sunlight. Keep container closed when not in use. Store away from heat. Recommended storage temperature is: 40-90 degrees F.

SECTION 8 — EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS: Provide local and general exhaust ventilation to effectively remove and prevent buildup of any vapors or mists generated from handling this product.

VENTILATION: As specified.

LOCAL EXHAUST: Remove vapors during processing.

MECHANICAL EXHAUST: Explosion-proof equipment.

GENERAL: Eyewash fountains and emergency showers should be readily available. Use good industrial hygiene practices in handling this material.

EYE PROTECTION: Splash goggles or safety glasses compliant with OSHA regulations.

SKIN PROTECTION: Impervious rubber gloves and protective clothing as required to prevent skin contact.

RESPIRATORY PROTECTION: Avoid breathing vapors or mists. Use NIOSH approved respiratory protection if airborne concentrations are above the applicable exposure limits shown in Section 2 of this document.

SECTION 9 — PHYSICAL & CHEMICAL PROPERTIES

Numerical values represents best estimates from available component data. Test values for the finished product are not available.

Odor:	Characteristic latex odor
Physical State:	Opaque white liquid
Vapor Density:	Heavier than air
Vapor Pressure:	24.0
Evaporation Rate:	Not Available
Boiling Point:	100°C/212°F
Specific Gravity (SG):	1.004

Formula Lb/Gal	8.38
Lbs VOC/Gallon less water less exempts	0.06
Gms VOC/Liter less water less exempts	7.43

SECTION 10— STABILITY & REACTIVITY

AVOID CONTACT WITH:

Water reactive materials such as metallic sodium and potassium and strong oxidizing agents.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS CONDITIONS DURING COMBUSTION:

Oxides of carbon

SECTION 11— TOXICOLOGICAL INFORMATION

TOXICOLOGICAL DATA: See data listed in Section III: Hazards Identification.

SECTION 12— ECOLOGICAL INFORMATION

ENVIRONMENTAL IMPACT: No data is currently available for the impact of this mixture of components on the environment.

SECTION 13— DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of in accordance with federal, state, and local regulations. The user is responsible for proper waste identification, transportation, and disposal. Any processing, use, or contamination of this product invalidates this information.

SECTION 14— TRANSPORT INFORMATION

TRANSPORTATION INSTRUCTIONS: Ship in compliance with federal, state and local regulations based on hazards listed. Transport information may not reflect package size, quantity, end-use, or region-specific exceptions.

<u>Agency</u>	<u>UN Number</u>	<u>Proper Shipping Name</u>	<u>Hazard Class</u>	<u>Packing Group</u>
DOT		Non-Regulated Material, N.O.S.		

SECTION 15— REGULATORY INFORMATION

The user of this product is responsible for the determination of local regulatory requirements for the use, handling, and labelling of the product based on the information provided.

Top five components by weight:

7732-18-5 WATER
TSR13972500025080P
TSR13972500025208P
TSR139072500025515P

New Jersey Riht To Know: None

PROP 65: This product contains chemicals known to the state of California to cause cancer, birth defects and/or reproductive harm.

SARA 313: Contains the following items above the reportable limits under SARA Title II Section 313:

None

TSCA (TOXIC SUBSTANCES CONTROL ACT): The ingredients in the product are listed with the following exceptions:

None

SECTION 16— OTHER INFORMATION

=====

DISCLAIMER LIABILITY: Since conditions or methods of use are beyond our control – we do not assume any responsibility and expressly disclaim any liability for any use of this product. The information contained in this MSDS is believed to be true and accurate but all statements or suggestions are made without warranty – express or implied regarding the accuracy of the information – the hazards connected with the use of the product or the results to be obtained from the use thereof. Compliance with all federal, state and local laws and regulations remains the responsibility of the user.

USER’S RESPONSIBILITY: This MSDS cannot cover all possible situations which the user may experience during processing. You should examine each aspect of your operation and determine if additional precautions should be taken. All health and safety information contained in this MSDS should be provided to your employees or customers. It is your responsibility to use this information to develop appropriate work practice guidelines and employee training programs for your operation.