

# **SAFETY DATA SHEET**

Print Date May-31-2015 Revision Date May-30-2015 Revision Number

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier	
Product code	8924
Product name	Black
Product category	8900 Series SuperSet Thermo-Set Screen Ink

Other means of identification Synonyms

Recommended use of the chemical and restrictions on useRecommended usePrinting operations

None

#### Details of the supplier of the safety data sheet

UNITED STATES Nazdar Company 8501 Hedge Lane Terrace Shawnee, KS 66227 Tel: 1-913-422-1888 Tel: 1-800-677-4657 Fax: 1-913-422-2294 www.nazdar.com UNITED KINGDOM Nazdar Limited Barton Road Heaton Mersey Stockport, England SK4 3EG Tel: +44 161 442 2111

#### Emergency telephone number

USA: Chemtrec: 1-800-424-9300 Outside USA: Chemtrec: 1-703-527-3887 24 Hour Emergency Phone Number

#### 2. HAZARDS IDENTIFICATION

#### **Classification**

Flammable liquids

Category 3 - (H226)

Label elements



#### **Hazard Statements**

H226 - Flammable liquid and vapor EUH208 - May produce an allergic reaction

#### **Precautionary Statements**

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

#### Hazards not otherwise classified (HNOC)

No information available.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Mixture

Component	CAS-No	Weight %	Trade Secret	Note
Naphtha (petroleum), heavy aromatic	64742-94-5	5 - 10	*	
Carbon black	1333-86-4	5 - 10	*	
Naphthalene (constituent)	91-20-3	< 1	*	1
1,2,4-Trimethylbenzene (constituent)	95-63-6	< 0.5	*	1

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

Note 1. Type of chemical: Constituent

#### 4. FIRST AID MEASURES

#### **Description of first aid measures**

General Advice Eye Contact	Show this safety data sheet to the doctor in attendance. Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Get medical attention if irritation develops and persists.
Skin Contact	Wash off immediately with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. If irritation (redness, rash, blistering) develops, get medical attention.
Inhalation	Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or stopped, administer artificial respiration. Get medical attention immediately.
Ingestion	DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control center immediately.

Most important symptoms and effects, both acute and delayed

None under normal use conditions.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

#### **5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Foam. Carbon dioxide (CO2). Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media

No information available.

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. May emit toxic fumes under fire conditions.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers / tanks with water spray. Sealed containers may rupture when heated.

#### 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

**Personal Precautions** 

Remove all sources of ignition. Ventilate the area. Avoid contact with eyes, skin and

clothing. Avoid breathing dust or vapor. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### Environmental precautions

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained.

#### Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean non-sparking tools to collect absorbed material.

#### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Handling

Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Ensure adequate ventilation.

#### Conditions for safe storage, including any incompatibilities

StorageKeep containers tightly closed in a dry, cool and well-ventilated place. Keep away from<br/>open flames, hot surfaces and sources of ignition. Keep container closed when not in use.<br/>Keep out of the reach of children.

**Incompatible Products** 

## Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Control parameters

#### **Exposure limits**

Component	ACGIH TLV
Carbon black	TWA: 3 mg/m <sup>3</sup> (inhalable fraction)
1333-86-4	
Naphthalene (constituent)	TWA: 10 ppm
91-20-3	STEL: 15 ppm
	Skin

Component	OSHA PEL
Carbon black 1333-86-4	TWA: 3.5 mg/m <sup>3</sup>
Naphthalene (constituent) 91-20-3	TWA: 10 ppm TWA: 50 mg/m <sup>3</sup> STEL: 15 ppm STEL: 75 mg/m <sup>3</sup>

Component	Ontario TWAEV
Carbon black	TWA: 3.5 mg/m <sup>3</sup>
1333-86-4	
Naphthalene (constituent)	TWA: 10 ppm
91-20-3	STEL: 15 ppm
	Skin

Component	Mexico OEL (TWA)
Carbon black	TWA/LMPE-PPT: 3.5 mg/m <sup>3</sup>
1333-86-4	STEL/LMPE-CT: 7 mg/m <sup>3</sup>
Naphthalene (constituent)	TWA/LMPE-PPT: 10 ppm
91-20-3	TWA/LMPE-PPT: 50 mg/m <sup>3</sup>
	STEL/LMPE-CT: 15 ppm
	STEL/LMPE-CT: 75 mg/m <sup>3</sup>

#### Appropriate engineering controls

Engineering Measures	Provide a good standard of general ventilation. Natural ventilation is from doors, windows etc. Controlled ventilation means air is supplied or removed by a powered fan. Users are advised to consider national Occupational Exposure Limits or other equivalent values. In case of insufficient ventilation, wear suitable respiratory equipment.
Individual protection measures, su	ch as personal protective equipment
Eye/face Protection	Wear safety glasses with side shields (or goggles). If splashes are likely to occur:. Wear suitable face shield. Ensure that eyewash stations and safety showers are close to the workstation location.
Skin Protection	Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.
Respiratory Protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Wash hands before eating, drinking or smoking. Wash contaminated clothing before reuse. Avoid contact with eyes, skin and clothing. Wear suitable gloves and eye/face protection. Regular cleaning of equipment, work area and clothing is recommended.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Odor	Liquid Characteristic	Appearance Odor Threshold	Colored Liquid No information available
<u>Property</u>	<u>Values</u>	Remarks • Method	
рН		No data available	
Melting point/freezing point		No data available	
Boiling point/Boiling Range	> 149 °C / 300 °F		
Flash Point	46 °C / 115 °F	Pensky Martens Clos	ed Cup (PMCC)
Evaporation rate		No data available	
Flammability Limit in Air			
Upper flammability limit		No data available	
Lower flammability limit		No data available	
Vapor Pressure		No data available	
Vapor Density		No data available	
Specific Gravity	1.15		
Water Solubility		No data available	
Solubility in other solvents		No data available	
Partition coefficient: n-octanol/	water	No data available	
Autoignition Temperature		No data available	
Decomposition temperature		No data available	
Kinematic viscosity		No data available	
Dynamic viscosity		No data available	
Explosive Properties	No data available		
Oxidizing Properties	No data available		
Other Information			
Photochemically Reactive	No		
Weight Per Gallon (lbs/gal)	9.58		
VOC by weight %	VOC by volume %	VOC lbs/gal	VOC grams/liter
(less water)	(less water)	(less water)	(less water)
9.58	11.99	0-1	110.04
	·	· · · · ·	

### **10. STABILITY AND REACTIVITY**

#### **Reactivity**

No information available.

#### Chemical stability

Stable under normal conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

#### Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

#### Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

#### **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Inhalation	There is no data for this product.
Eye Contact	There is no data for this product.
Skin Contact	There is no data for this product.
Ingestion	There is no data for this product.

Component	Oral LD50
Naphtha (petroleum), heavy aromatic	>5000 mg/kg (Rat)
64742-94-5	
Carbon black	>15400 mg/kg (Rat)
1333-86-4	
Naphthalene (constituent)	490 mg/kg (Rat)
91-20-3	
1,2,4-Trimethylbenzene (constituent)	3400 mg/kg (Rat)
95-63-6	

Component	LD50 Dermal
Naphtha (petroleum), heavy aromatic 64742-94-5	>2000 mg/kg (Rabbit)
Carbon black 1333-86-4	>3 g/kg (Rabbit)
Naphthalene (constituent) 91-20-3	>2500 mg/kg (Rat) >20 g/kg (Rabbit)
1,2,4-Trimethylbenzene (constituent) 95-63-6	>3160 mg/kg (Rabbit)

Component	Inhalation LC50
Naphtha (petroleum), heavy aromatic 64742-94-5	>590 mg/m³(Rat)4 h
Naphthalene (constituent) 91-20-3	>340 mg/m³(Rat)1 h
1,2,4-Trimethylbenzene (constituent) 95-63-6	18 g/m³(Rat)4 h

#### Information on toxicological effects

Symptoms

There is no data for this product.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

There is no data for this product.

Eye damage/irritation Irritation Corrosivity Sensitisation Mutagenic Effects Reproductive Effects STOT - single exposure STOT - repeated exposure Chronic Toxicity Aspiration hazard Carcinogenicity	There is no data for this product. There is no data for this product.	er each agency has listed any ingredient as a carcinogen.
Component		ACGIH
Carbon black 1333-86-4		A3
Component		IARC
Carbon black 1333-86-4		Group 2B
Naphthalene (constituent) 91-20-3		Group 2B
Component		NTP
Naphthalene (constituent) 91-20-3		Reasonably Anticipated
Component		OSHA
Carbon black 1333-86-4		X
Naphthalene (constituent) 91-20-3		X

#### Numerical measures of toxicity - Product Information

#### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix	(oral)	49,
ATEmix	(dermal)	19,

49,000.00 mg/kg 19,363.00 mg/kg mg/l

### **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity None known

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Component	Algae/aquatic plants
Naphthalene (constituent)	72h EC50 Skeletonema costatum: 0.4 mg/L
91-20-3	
Component	Fish
Naphthalene (constituent) 91-20-3	96h LC50 Oncorhynchus mykiss: 0.91 - 2.82 mg/L [static] 96h LC50 Pimephales promelas: 5.74 - 6.44 mg/L [flow-through] 96h LC50 Oncorhynchus mykiss: 1.6 mg/L [flow-through] 96h LC50 Pimephales promelas: 1.99 mg/L [static] 96h LC50 Lepomis macrochirus: 31.0265 mg/L [static]
1,2,4-Trimethylbenzene (constituent) 95-63-6	96h LC50 Pimephales promelas: 7.19 - 8.28 mg/L [flow-through]
	-

Component	Crustacea
Carbon black	24h EC50 Daphnia magna: >5600 mg/L
1333-86-4	
Naphthalene (constituent)	48h EC50 Daphnia magna: 1.09 - 3.4 mg/L [static]
91-20-3	48h EC50 Daphnia magna: 1.96 mg/L [Flow through]
	48h LC50 Daphnia magna: 2.16 mg/L

1,2,4-Trimethylbenzene (constituent)	48h EC50 Daphnia magna: 6.14 mg/L
95-63-6	

#### Persistence and Degradability

No information available.

#### Bioaccumulation

No information available.

Component	Partition coefficient	
Naphtha (petroleum), heavy aromatic 64742-94-5	4.5	
Naphthalene (constituent) 91-20-3	3.3	
1,2,4-Trimethylbenzene (constituent) 95-63-6	3.63	

#### Other adverse effects

No information available

#### **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods		
Waste Disposal Methods	Contain and dispose of waste according to local regulations.	
Contaminated Packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal.	

#### **14. TRANSPORT INFORMATION**

<b>DOT</b> In the U.S. and Canada, this material may be reclassified as a combustible liquid and regulated, via surface transportation, in containers less than 119 gallons or 450 liters 49 CFR 173.150 (f)] [per Transportation of Dangerous Goods Regulations/Clear Lang Part 1.33].	[per
UN/ID no. UN1210	
Proper Shipping Name Printing Ink	
Hazard Class 3	
Packing Group III	
ICAO / IATA / IMDG / IMO	
<b>UN/ID no.</b> UN1210	
Proper Shipping Name Printing Ink	
Hazard Class 3	
Packing Group III	

#### **15. REGULATORY INFORMATION**

#### International Inventories

All components are listed on the TSCA Inventory. For further information, please contact:. Supplier (manufacturer/importer/downstream user/distributor).

#### U.S. Federal Regulations

#### <u>SARA 313</u>

 Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

 Component
 CAS-No
 Weight %
 SARA 313 - Threshold Values

• • · · · · · · · · · · · ·	0110 110		Values	
Naphthalene (constituent)	91-20-3	< 1	0.1	

#### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

#### U.S. State Regulations

Component	Massachusetts Right To Know
Carbon black 1333-86-4	X
Naphthalene (constituent) 91-20-3	X
1,2,4-Trimethylbenzene (constituent) 95-63-6	X

Component	Minnesota Right To Know
Carbon black 1333-86-4	X
Naphthalene (constituent) 91-20-3	X
1,2,4-Trimethylbenzene (constituent) 95-63-6	X

Component	New Jersey Right To Know
Carbon black 1333-86-4	X
Naphthalene (constituent) 91-20-3	X
1,2,4-Trimethylbenzene (constituent) 95-63-6	X

Component	Pennsylvania Right To Know
Carbon black 1333-86-4	X
Naphthalene (constituent) 91-20-3	X
1,2,4-Trimethylbenzene (constituent) 95-63-6	X

<u>California Prop. 65</u> This product contains chemical(s) known to the State of California to cause cancer and/or to cause birth defects or other reproductive harm

Component	California Prop. 65	
Carbon black	Carcinogen	
Naphthalene (constituent)	Carcinogen	
This product contains contains block in a new year while forms. Inhelation of contain block is unlikely to converting the this product		

This product contains carbon black in a non-respirable form. Inhalation of carbon black is unlikely to occur from exposure to this product

#### <u>Canada</u>

No information available Component	NPRI - National Pollutant Release Inventory
Naphtha (petroleum), heavy aromatic 64742-94-5	Part 5, Other Groups and Mixtures Part 4 Substance as set out in Section 65 of the List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999
Naphthalene (constituent) 91-20-3	Part 1, Group A Substance Part 4 Substance as set out in Section 65 of the List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999
1,2,4-Trimethylbenzene (constituent) 95-63-6	Part 1, Group A Substance Part 5, Individual Substances Part 4 Substance as set out in Section 65 of the List of Toxic Substances in Schedule 1 of the Canadian Environmental Protection Act, 1999

### **16. OTHER INFORMATION**

HMIS:	Health	Flammability	Reactivity	Personal Protection
	2 *	2	0	X

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWĂ	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value

#### ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen
A2 - Suspected Human Carcinogen
A3 - Animal Carcinogen
IARC: (International Agency for Research on Cancer)
Group 1 - Carcinogenic to Humans
Group 2A - Probably Carcinogenic to Humans
Group 2B - Possibly Carcinogenic to Humans
NTP: (National Toxicity Program)
Known - Known Carcinogen
Reasonably Anticipated to be a Human Carcinogen
OSHA: (Occupational Safety & Health Administration)
X - Present

#### **Revision Date**

May-30-2015

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of MSDS