

# **SAFETY DATA SHEET**

Print DateRevision DateRevision NumberJun-01-2015May-31-20151

# 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product identifier

Product code RE188
Product name Thinner
Product category Ink Product

Other means of identification

Synonyms None

Recommended use of the chemical and restrictions on use
Recommended use Printing operations

Details of the supplier of the safety data sheet

UNITED STATES
UNITED KINGDOM
Nazdar Company
Nazdar Limited
8501 Hedge Lane Terrace
Shawnee, KS 66227
Burton Road
Heaton Mersey

Tel: 1-913-422-1888 Stockport, England SK4 3EG
Tel: 1-800-677-4657 Tel: +44 161 442 2111

Fax: 1-913-422-2294 www.nazdar.com

Emergency telephone number USA: Chemtrec: 1-800-424-9300

Outside USA: Chemtrec: 1-703-527-3887

24 Hour Emergency Phone Number

### 2. HAZARDS IDENTIFICATION

#### Classification

Acute toxicity - Inhalation (Vapors)	Category 4 - (H332)
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Chronic aquatic toxicity	Category 3 - (H412)
Flammable liquids	Category 3 - (H226)

### **Label elements**





Signal Word Warning

### **Hazard Statements**

H332 - Harmful if inhaled

H412 - Harmful to aquatic life with long lasting effects

H226 - Flammable liquid and vapor

EUH066 - Repeated exposure may cause skin dryness or cracking

#### **Precautionary Statements**

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P273 - Avoid release to the environment

#### Hazards not otherwise classified (HNOC)

May be harmful if swallowed. May be harmful in contact with skin. Harmful to aquatic life.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Mixture

Component	CAS-No	Weight %	Trade Secret	Note
Ethyl 3-Ethoxypropionate	763-69-9	60 - 100	*	
Cyclohexanone	108-94-1	10 - 30	*	

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES

#### Description of first aid measures

**General Advice** Show this safety data sheet to the doctor in attendance.

**Eye Contact** Immediately flush with plenty of water. After initial flushing, remove any contact lenses and

continue flushing for at least 15 minutes. Get medical attention if irritation develops and

persists.

**Skin Contact** Wash off immediately with soap and plenty of water for at least 15 minutes. Remove

contaminated clothing. If irritation (redness, rash, blistering) develops, get medical attention.

**Inhalation** Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or

stopped, administer artificial respiration. Get medical attention immediately.

Ingestion

DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a

physician or poison control center immediately.

#### Most important symptoms and effects, both acute and delayed

None under normal use conditions.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Foam. Carbon dioxide (CO2). Dry chemical. Water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### **Unsuitable Extinguishing Media**

No information available.

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. May emit toxic fumes under fire conditions.

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers / tanks with water spray. Sealed containers may rupture when heated.

# **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures

RE188 - Thinner

#### **Personal Precautions**

Remove all sources of ignition. Ventilate the area. Avoid contact with eyes, skin and clothing. Avoid breathing dust or vapor. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### **Environmental precautions**

Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. Keep out of drains, sewers, ditches and waterways. Local authorities should be advised if significant spillages cannot be contained.

#### Methods and material for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13). Use clean non-sparking tools to collect absorbed material.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Handling Use personal protective equipment as required. Do not eat, drink or smoke when using this

product. Ensure adequate ventilation.

# Conditions for safe storage, including any incompatibilities

Storage Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

open flames, hot surfaces and sources of ignition. Keep container closed when not in use.

Keep out of the reach of children.

Incompatible Products Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

## **Exposure limits**

Component	ACGIH TLV
Cyclohexanone	TWA: 20 ppm
108-94-1	STEL: 50 ppm
	Skin

Component	OSHA PEL
Cyclohexanone	TWA: 25 ppm
108-94-1	TWA: 100 mg/m <sup>3</sup>
	TWA: 50 ppm
	TWA: 200 mg/m <sup>3</sup>
	Skin

Component	Ontario TWAEV
Ethyl 3-Ethoxypropionate	TWA: 50 ppm
763-69-9	TWA: 300 mg/m <sup>3</sup>
Cyclohexanone	TWA: 20 ppm
108-94-1	STEL: 50 ppm
	Skin

Component	Mexico OEL (TWA)
Cyclohexanone	TWA/LMPE-PPT: 50 ppm
108-94-1	TWA/LMPE-PPT: 200 mg/m <sup>3</sup>
	STEL/LMPE-CT: 100 ppm
	STEL/LMPE-CT: 400 mg/m <sup>3</sup>

### **Appropriate engineering controls**

Engineering Measures Provide a good standard of general ventilation. Natural ventilation is from doors, windows

etc. Controlled ventilation means air is supplied or removed by a powered fan. Users are

advised to consider national Occupational Exposure Limits or other equivalent values. In case of insufficient ventilation, wear suitable respiratory equipment.

### Individual protection measures, such as personal protective equipment

**Eye/face Protection** Wear safety glasses with side shields (or goggles). If splashes are likely to occur:. Wear

suitable face shield. Ensure that eyewash stations and safety showers are close to the

workstation location.

**Skin Protection** Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls,

as appropriate, to prevent skin contact.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Respiratory protection must be provided in

accordance with current local regulations.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands before

eating, drinking or smoking. Wash contaminated clothing before reuse. Avoid contact with eyes, skin and clothing. Wear suitable gloves and eye/face protection. Regular cleaning of

equipment, work area and clothing is recommended.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid Appearance Water-white

Odor Characteristic Odor Threshold No information available

PropertyValuesRemarks • MethodpHNo data available

No data available No data available

Melting point/freezing point

Boiling point/Boiling Range > 149 °C / 300 °F

Flash Point 60 °C / 140 °F Setaflash closed cup

**Evaporation rate**No data available

Flammability Limit in Air

Upper flammability limit
Lower flammability limit
No data available
Vapor Pressure
No data available

Vapor Density
Specific Gravity
0.95

Water Solubility
Solubility in other solvents
Partition coefficient: n-octanol/water
Autoignition Temperature
No data available

Kinematic viscosity
No data available
Dynamic viscosity
No data available
No data available

**Explosive Properties**No data available **Oxidizing Properties**No data available

**Other Information** 

Photochemically Reactive No Weight Per Gallon (lbs/gal) 7.92

VOC by weight % (less water)	VOC by volume % (less water)	VOC lbs/gal (less water)	VOC grams/liter (less water)	
100	100	7.92	948.82	

# 10. STABILITY AND REACTIVITY

Reactivity

No information available.

### **Chemical stability**

Stable under normal conditions.

### Possibility of Hazardous Reactions

None under normal processing.

#### Conditions to avoid

Keep away from open flames, hot surfaces and sources of ignition.

### Incompatible materials

Strong acids. Strong bases. Strong oxidizing agents. Reducing agent.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating gases and vapors. Carbon dioxide (CO2). Carbon monoxide.

### 11. TOXICOLOGICAL INFORMATION

#### Information on likely routes of exposure

InhalationThere is no data for this product.Eye ContactThere is no data for this product.Skin ContactThere is no data for this product.IngestionThere is no data for this product.

Component	Oral LD50
Ethyl 3-Ethoxypropionate 763-69-9	3200 mg/kg (Rat)
Cyclohexanone 108-94-1	800 mg/kg(Rat)

Component	LD50 Dermal
Ethyl 3-Ethoxypropionate	10 mL/kg (Rabbit)
763-69-9	

Component	Inhalation LC50
Cyclohexanone	8000 ppm (Rat) 4 h
108-94-1	10.7 mg/L (Rat) 4 h

### Information on toxicological effects

**Symptoms** There is no data for this product.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation There is no data for this product. Eye damage/irritation There is no data for this product. Irritation There is no data for this product. Corrosivity There is no data for this product. Sensitisation There is no data for this product. **Mutagenic Effects** There is no data for this product. There is no data for this product. **Reproductive Effects** STOT - single exposure There is no data for this product. There is no data for this product. STOT - repeated exposure **Chronic Toxicity** There is no data for this product There is no data for this product. **Aspiration hazard** 

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

- an emegermenty	The table below made attention	or each agone, hac here any ingreation as a sareniegen
Component		ACGIH
Cyclohexanone		A3
108-94-1		

RE188 - Thinner

### Numerical measures of toxicity - Product Information

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 2,462.00 mg/kg

 ATEmix (dermal)
 25,000.00 mg/kg mg/l

ATEmix (inhalation-dust/mist) 15.00 mg/l ATEmix (inhalation-vapor) 110.00 mg/l

# 12. ECOLOGICAL INFORMATION

### **Ecotoxicity**

None known

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Component	Algae/aquatic plants
Cyclohexanone	96h EC50 Chlorella vulgaris: 20 mg/L
108-94-1	

Component	Fish
Ethyl 3-Ethoxypropionate 763-69-9	96h LC50 Pimephales promelas: 62 mg/L [static]
Cyclohexanone 108-94-1	96h LC50 Pimephales promelas: 481 - 578 mg/L [flow-through]

Component	Crustacea
Ethyl 3-Ethoxypropionate 763-69-9	48h EC50 Daphnia magna: 970 mg/L
Cyclohexanone 108-94-1	24h EC50 Daphnia magna: 800 mg/L

# Persistence and Degradability

No information available.

### **Bioaccumulation**

No information available.

Component	Partition coefficient
Ethyl 3-Ethoxypropionate 763-69-9	1.35
Cyclohexanone 108-94-1	0.86

#### Other adverse effects

No information available

### 13. DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Waste Disposal Methods Contain and dispose of waste according to local regulations.

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal.

# 14. TRANSPORT INFORMATION

**DOT** In the U.S. and Canada, this material may be reclassified as a combustible liquid and is not

regulated, via surface transportation, in containers less than 119 gallons or 450 liters [per

49 CFR 173.150 (f)] [per Transportation of Dangerous Goods Regulations/Clear Language

Part 1.33]. UN1210

UN/ID no.

Proper Shipping Name Printing Ink Related Material

Hazard Class 3
Packing Group III

ICAO / IATA / IMDG / IMO

**UN/ID no.** UN1210

Proper Shipping Name Printing Ink Related Material

Hazard Class 3
Packing Group III

# 15. REGULATORY INFORMATION

### **International Inventories**

All components are listed on the TSCA Inventory. For further information, please contact:. Supplier (manufacturer/importer/downstream user/distributor).

### U.S. Federal Regulations

### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

### Clean Air Act, Section 112 Hazardous Air Pollutants (HAPs) (see 40 CFR 61)

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

### **U.S. State Regulations**

Component	Massachusetts Right To Know
Cyclohexanone 108-94-1	X

Component	Minnesota Right To Know
Cyclohexanone 108-94-1	X

Component	New Jersey Right To Know
Cyclohexanone 108-94-1	X

Component	Pennsylvania Right To Know
Cyclohexanone 108-94-1	X

#### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth, or any other reproductive defects

### Canada

Component	NPRI - National Pollutant Release Inventory
Ethyl 3-Ethoxypropionate	Part 4 Substance as set out in Section 65 of the List of Toxic
763-69-9	Substances in Schedule 1 of the Canadian Environmental
	Protection Act, 1999
Cyclohexanone	Part 4 Substance as set out in Section 65 of the List of Toxic
108-94-1	Substances in Schedule 1 of the Canadian Environmental
	Protection Act, 1999

# **16. OTHER INFORMATION**

HMIS:HealthFlammabilityReactivityPersonal Protection2 \*20X

# Key or legend to abbreviations and acronyms used in the safety data sheet

Legend - Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value

ACGIH: (American Conference of Governmental Industrial Hygienists)

A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen

A3 - Animal Carcinogen

IARC: (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program) Known - Known Carcinogen

Reasonably Anticipated to be a Human Carcinogen
OSHA: (Occupational Safety & Health Administration)

X - Present

Revision Date May-31-2015

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of MSDS**