Article No.: 21816 Polycol Light-Scribe Ultra
Print date: 5/8/2019 Revision date: 7/3/2017
Version: 1.6 Issue date: 7/3/2017



USA Page 1 / 6

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. product identifiers

Article No. (manufacturer/supplier): 21816

Identification of the substance or mixture Polycol Light-Scribe Ultra
1.2. Relevant identified uses of the substance or mixture and uses advised against

# Relevant identified uses

Stencil production for screen and textile printing. Reserved for industrial and professional use.

# 1.3. Details of the supplier of the safety data sheet

#### supplier (manufacturer/importer/downstream user/distributor)

KIWO Inc.

1929 Marvin Circle Telephone: +1 281-474-9777 Seabrook, TX 77586 Telefax: +1 281-474-7325

USA

#### 1.4. Emergency telephone number

Emergency telephone: 1-800-255-3924 / +1 813-248-0573 (ChemTel)

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

### Classification according to GHS

This mixture is classified as hazardous according to GHS

Skin Irrit. 2 / H315 Skin corrosion/irritation Causes skin irritation.

Skin Sens. 1 / H317 Respiratory or skin sensitisation May cause an allergic skin reaction. STOT SE 3 / H335 STOT-single exposure May cause respiratory irritation.

Aquatic Chronic 3 / H412 Hazardous to the aquatic environment Harmful to aquatic life with long lasting effects.

# 2.2. Label elements

The product is classified and labelled according to GHS.

## Labelling according to GHS

#### **Hazard pictograms**



# Warning

#### **Hazard statements**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

#### Precautionary statements

P280 Wear protective gloves and eye/face protection.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

contains:

(1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate

#### 2.3. Other hazards

# **SECTION 3: Composition / information on ingredients**

# 3.2. Mixtures

#### Product description / chemical characterization

**Description** Mixture of components, as listed below, with nonhazardous constituents

#### **Hazardous ingredients**

# Classification according to GHS

EC No.

CAS No. Chemical name Wt %

Article No.: 21816 Polycol Light-Scribe Ultra Print date: 5/8/2019 Revision date: 7/3/2017 Version: 1.6 Issue date: 7/3/2017



USA Page 2 / 6

INDEX No. classification: // Remark

256-032-2

42978-66-5 (1-methyl-1,2-ethanediyl)bis[oxy(methyl-2,1-ethanediyl)] diacrylate 10 - 30 607-249-00-X

\_\_\_\_\_

1 - 5

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness give nothing by mouth, place in recovery position and seek medical advice. In case of irregular breathing or respiratory arrest provide artificial respiration.

### Following skin contact

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing.

#### After eye contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.If eye irritation persists: Get medical advice/attention.

#### After ingestion

Seek medical advice immediately. Do NOT induce vomiting.

# 4.2. Most important symptoms and effects, both acute and delayed

In all cases of doubt, or when symptoms persist, seek medical advice.

#### 4.3. Indication of any immediate medical attention and special treatment needed

urethaneacrylate oligomer

# **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media:

Carbon dioxide Water mist Foam

#### Extinguishing media which must not be used for safety reasons:

strong water jet

# 5.2. Special hazards arising from the substance or mixture

Gases/vapours, toxic

# 5.3. Advice for firefighters

Provide a conveniently located respiratory protective device.

# **Additional information**

The danger areas must be delimited and identified using relevant warning and safety signs. Cool closed containers that are near the source of the fire.Do not allow water used to extinguish fire to enter drains, ground or waterways.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate affected area.Remove persons to safety. Do not breathe vapours.See protective measures under point 7 and 8.

## 6.2. Environmental precautions

Do not allow to enter into surface water or drains in significant quantities. If the product contaminates lakes, rivers or sewages, inform competent authorities in accordance with local regulations. Provide good ventilation.

# 6.3. Methods and material for containment and cleaning up

Isolate leaked material using non-flammable absorption agent (e.g. sand, earth, vermiculit, diatomaceous earth) and collect it for disposal in appropriate containers in accordance with the local regulations (see section 13).

#### 6.4. Reference to other sections

Observe protective provisions (see section 7 and 8).

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Advices on safe handling

Article No.: 21816 Polycol Light-Scribe Ultra Print date: 5/8/2019 Revision date: 7/3/2017 Version: 1.6 Issue date: 7/3/2017



Avoid contact with eyes and skin. Do not inhale vapours or mist.

Do not eat, drink or smoke when using this product. Personal protection equipment: refer to section 8.

### 7.2. Conditions for safe storage, including any incompatibilities

# Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

### Requirements for storage rooms and vessels

Always keep in containers that correspond to the material of the original container. Ensure adequate ventilation of the storage area.

#### Hints on joint storage

Keep away from strongly acidic and alkaline materials as well as oxidizers.

#### **Further information**

VCI-storage class, see Chapter 15

#### 7.3. Specific end use(s)

Observe technical data sheet. Observe instructions for use.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limit values

not applicable

#### 8.2. Exposure controls

# Personal protection equipment

#### Respiratory protection

If concentration of solvents is beyond the occupational exposure limit values, approved and suitable respiratory protection must be used.

# Hand protection

Wear chemical resistant protective gloves.

# Eye protection

Wear closed protection glasses.

# **Protective clothing**

Wear antistatic clothing of natural fibers (cotton) or heat resistant synthetic fibers.

#### **Protective measures**

After contact clean skin thoroughly with water and soap or use appropriate cleanser.

# **Environmental exposure controls**

Do not allow to enter into surface water or drains in significant quantities.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Appearance:

Physical state: Liquid
Colour: refer to label
Odour: characteristic
pH at 20 °C:: 4.5 / 100.0 Wt %

Initial boiling point and boiling range: 110 °C

 $(1-methyl-1,2-ethanediyl) bis [oxy(methyl-2,1-ethanediyl)] \ diacrylate$ 

Flash point: not applicable Vapour pressure at 20 °C:: not applicable

Relative density:

Density at 20 °C:: 1.06 g/cm<sup>3</sup>

Solubility(ies):

Water solubility (g/L) at 20 °C:: partially soluble

Article No.: 21816 Polycol Light-Scribe Ultra Print date: 5/8/2019 Revision date: 7/3/2017 Version: 1.6 Issue date: 7/3/2017

USA Page 4/6

Auto-ignition temperature: not determined Viscosity at 20 °C:: 8000 mPa\*s

Decomposition temperature (°C): 0

9.2. Other information

Solid content (%): 26.82 Wt %

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

## 10.2 Chemical stability

Stable when applying the recommended regulations for storage and handling. Further information on correct storage: refer to section 7.

#### 10.3 Possibility of hazardous reactions

Keep away from strong acids, strong bases and strong oxidizing agents to avoid exothermic reactions.

#### 10.4 Conditions to avoid

#### 10.5 Incompatible materials

# 10.6 Hazardous decomposition products

Hazardous decomposition byproducts may form with exposure to high temperatures, e.g.: carbon dioxide, carbon monoxide, smoke, nitrogen oxides.

# **SECTION 11: Toxicological information**

Classification for mixtures and used evaluation method according to GHS

No data on preparation itself available.

### 11.1. Information on toxicological effects

#### **Acute toxicity**

Toxicological data are not available.

# skin corrosion/irritation; Serious eye damage/eye irritation

Causes skin irritation.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Toxicological data are not available.

# Specific target organ toxicity

May cause respiratory irritation.

#### **Aspiration hazard**

Toxicological data are not available.

# Practical experience/human evidence

Other observations:

Prolonged or repeated contact with the preparation can lead to irritations of mucous membranes and of skin such as redness, formation of blebs, dermatitis, etc..

# **Overall Assessment on CMR properties**

The ingredients in this mixture do not meet the criteria for classification as CMR category 1A or 1B according to CLP.

#### Remark

There is no information available on the preparation itself .

# **SECTION 12: Ecological information**

# overall evaluation

Classification for mixtures and used evaluation method according to GHSDo not store at public landfills.

#### Practical experience/human evidence

Other observations:

Prolonged or repeated contact with the preparation can lead to irritations of mucous membranes and of skin such as redness,

Article No.: 21816 Polycol Light-Scribe Ultra Print date: 5/8/2019 Revision date: 7/3/2017 Version: 1.6 Issue date: 7/3/2017



formation of blebs, dermatitis, etc..

#### 12.1 Toxicity

No information available.

#### Remark

There is no information available on the preparation itself.

#### Long-term Ecotoxicity

Harmful to aquatic life with long lasting effects.

# 12.2 Persistence and degradability

Toxicological data are not available.

#### 12.3 Bioaccumulative potential

Toxicological data are not available.

#### **Bioconcentration factor (BCF)**

Toxicological data are not available.

## 12.4 Mobility in soil

Toxicological data are not available.

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

#### 12.5 Other adverse effects

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

#### Appropriate disposal / Product

## Recommendation

Dispose of waste according to applicable legislation.

# packaging

# Recommendation

Non-contaminated packages may be recycled. Vessels not properly emptied are special waste.

# **SECTION 14: Transport information**

No dangerous good in sense of this transport regulation.

### 14.1. UN number

not applicable

# 14.2 UN proper shipping name

## 14.3 Transport hazard class(es)

not applicable

# 14.4 Packing group

not applicable

#### 14.5 Environmental hazards

Land transport (ADR / RID / DOT): not applicable

Marine pollutant not applicable

#### 14.6 Special precautions for user

Transport always in closed, upright and safe containers. Make sure that persons transporting the product know what to do in case of an accident or leakage.

Advices on safe handling: see parts 6 - 8

# **Further information**

# Land transport (ADR/RID)

tunnel restriction code

# Sea transport (IMDG)

EmS-No. not applicable

Packaging >30 I

Article No.: 21816 Polycol Print date: 5/8/2019 Revisio Version: 1.6 Issue di

Polycol Light-Scribe Ultra Revision date: 7/3/2017 Issue date: 7/3/2017



Page 6 / 6

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

# Observe in addition any national regulations!

calculated with mixing rule

Substance/product listed in the following inventories:

USA: TSCA - YES

#### **SECTION 16: Other information**

### **Further information**

Classification for mixtures and used evaluation method according to GHS

The information supplied on this safety data sheet is correct to the best of our knowledge. Without written approval, the product must not be used for purposes different from those mentioned in chapter 1. It is always the user's duty to take any necessary measures for meeting the requirements laid down by local rules and regulations. The details in this safety data sheet describe the safety requirements of our product and are not to be regarded as guaranteed attributes of the product.