

# SAFETY DATA SHEET

Issue Date 04-Dec-2017 Revision Date 19-Mar-2018 Version 13

# 1. IDENTIFICATION

**Product identifier** 

Product Name EF POLY LB ORANGE

Other means of identification

Product Code ATHP2064

**Synonyms**ATHP206401, ATHP206403, ATHP206404, ATHP206405, ATHP206407, ATHP206408, ATHP206409, ATHP206410, ATHP206412, ATHP206413, ATHP206414, ATHP206415,

ATHP206409, ATHP206410, ATHP206412, ATHP206413, ATHP206414, ATHP206415, ATHP206416, ATHP206417, ATHP206419, ATHP206420, ATHP206421, ATHP206422,

ATHP206423, ATHP206433, ATHP206435, ATHP206455

Recommended use of the chemical and restrictions on use

Recommended Use Restricted to professional users.

Uses advised against No information available

Details of the supplier of the safety data sheet

**Manufacturer Address** 

Rutland Group

10021 Rodney Street Pineville, NC 28134

Tel: 704-553-0046

E-mail address product\_safety@rutlandinc.com

Emergency telephone number

Emergency Telephone INFOTRAC 1-352-323-3500

# 2. HAZARDS IDENTIFICATION

# Classification

#### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Dermal Category 4

#### Label elements

## **Emergency Overview**

## Warning

#### Hazard statements

Harmful in contact with skin



Appearance viscous

Physical state liquid

Odor Low

## **Precautionary Statements - Prevention**

Wear protective gloves/protective clothing/eye protection/face protection

IF ON SKIN: Wash with plenty of soap and water Call a POISON CENTER or doctor/physician if you feel unwell Wash contaminated clothing before reuse

# **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Not applicable

### Other Information

Not applicable

Unknown acute toxicity

82.7% of the mixture has not undergone testing for acute toxicity

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
PVC HOMOPOLYMER RESIN	9002-86-2	15 - 40	*
TITANIUM DIOXIDE	13463-67-7	10 - 30	*
DIPHENYLOXIDE-4,4'-DI-SULFOHYDRAZIDE	80-51-3	1 - 5	*

<sup>\*</sup>The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

**Description of first aid measures** 

Eye contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Skin contact** Wash skin with soap and water.

**Inhalation** Remove to fresh air.

**Ingestion** Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious

person. Immediate medical attention is not required.

Most important symptoms and effects, both acute and delayed

**Symptoms** No information available.

Indication of any immediate medical attention and special treatment needed

#### 5. FIRE-FIGHTING MEASURES

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

## Specific hazards arising from the chemical

No information available.

**Explosion data** 

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

**Environmental precautions** 

**Environmental precautions** See section 12 for additional ecological information.

Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

**Methods for cleaning up** Pick up and transfer to properly labeled containers.

# 7. HANDLING AND STORAGE

**Precautions for safe handling** 

Handle in accordance with good industrial hygiene and safety practice. Advice on safe handling

Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place Store at temperatures not exceeding 35  $^{\circ}\text{C}/$  95  $^{\circ}\text{F}$ **Storage Conditions** 

Incompatible materials None known based on information supplied.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
PVC HOMOPOLYMER RESIN	TWA: 1 mg/m³ respirable	-	-
9002-86-2	particulate matter		
TITANIUM DIOXIDE	TWA: 10 mg/m <sup>3</sup>	TWA: 15 mg/m³ total dust	IDLH: 5000 mg/m <sup>3</sup>
13463-67-7	_	(vacated) TWA: 10 mg/m <sup>3</sup> total dust	-
DIPHENYLOXIDE-4,4'-DI-SULFOH	TWA: 0.1 mg/m <sup>3</sup> inhalable	-	-
YDRAZIDE	particulate matter		
80-51-3			

NIOSH IDLH Immediately Dangerous to Life or Health

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL
PVC HOMOPOLYMER	-	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	-
RESIN				
9002-86-2				
TITANIUM DIOXIDE	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
13463-67-7		TWA: 3 mg/m <sup>3</sup>		
DIPHENYLOXIDE-4,4'-DI-S	-	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	-
ULFOHYDRAZIDE		Adverse reproductive effect		
80-51-3				

Chemical Name	Newfoundland OEL	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL
PVC HOMOPOLYMER RESIN	TWA: 1 mg/m <sup>3</sup>	-	TWA: 1 mg/m <sup>3</sup>	-
9002-86-2				
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m³ STEL: 20 mg/m³
DIPHENYLOXIDE-4,4'-DI-S ULFOHYDRAZIDE 80-51-3	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m³ STEL: 0.3 mg/m³	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m³ STEL: 0.3 mg/m³

Chemical Name	Ontario OEL	Prince Edward Island	Quebec OEL	Saskatchewan OEL	Yukon OEL
		OEL			
PVC HOMOPOLYMER	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	=	=	=
RESIN	ŭ				
9002-86-2					
TITANIUM DIOXIDE	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	STEL: 20 mg/m <sup>3</sup>
13463-67-7	· ·		_	STEL: 20 mg/m <sup>3</sup>	TWA: 30 mppcf
				· ·	TWA: 10 mg/m <sup>3</sup>
DIPHENYLOXIDE-4,4'-DI-S	TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	<del>-</del>	TWA: 0.1 mg/m <sup>3</sup>	-
ULFOHYDRAZIDE	· ·			STEL: 0.3 mg/m <sup>3</sup>	
80-51-3					

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d

962 (11th Cir., 1992).

**Appropriate engineering controls** 

Engineering Controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

**Skin and body protection** Wear protective gloves and protective clothing.

respiratory protection should be worn. Positive-pressure supplied air respirators may be

Low

required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.

Odor

Remarks • Method

**General Hygiene Considerations** 

Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state liquid
Appearance viscous
Color colored

Color colored Odor threshold No information available

 Property
 Values

 pH
 7-10

Melting point/freezing point
Boiling point / boiling range
Flash point
Evaporation rate
Flammability (solid, gas)

No information available
121 °C / 250 °F
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density

No information available
No information available
No information available
No information available

Specific Gravity 1.424

Water solubility
Solubility in other solvents
Partition coefficient
Autoignition temperature
No information available

**Explosive properties**No information available **Oxidizing properties**No information available

## Other Information

Softening pointNo information availableMolecular weightNo information available

VOC Content 50 g/L

Density
No information available
No information available

# 10. STABILITY AND REACTIVITY

# Reactivity

No data available

## **Chemical stability**

Stable under recommended storage conditions.

# **Possibility of Hazardous Reactions**

None under normal processing.

# **Conditions to avoid**

Extremes of temperature and direct sunlight.

# **Incompatible materials**

None known based on information supplied.

# **Hazardous Decomposition Products**

None known based on information supplied.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

Product Information No data available

**Inhalation** No data available.

**Eye contact** No data available.

**Skin contact** No data available.

**Ingestion** No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
TITANIUM DIOXIDE	> 10000 mg/kg (Rat)	-	-
13463-67-7			
DIPHENYLOXIDE-4,4'-DI-SULFOH	= 2300 mg/kg (Rat)	> 200 mg/kg (Rabbit)	-
YDRAZIDE			
80-51-3			

## Information on toxicological effects

**Symptoms** No information available.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Sensitization Germ cell mutagenicity**No information available.
No information available.

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
PVC HOMOPOLYMER	-	Group 3	-	-
RESIN		•		
9002-86-2				
TITANIUM DIOXIDE	-	Group 2B	-	X
13463-67-7		·		

IARC (International Agency for Research on Cancer)

Group 2B - Possibly Carcinogenic to Humans

Not classifiable as a human carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Target Organ Effects
Aspiration hazard
No information available.
No information available.
Lungs, Respiratory system.
No information available.

#### Numerical measures of toxicity - Product Information

## The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral) No information available mg/kg
ATEmix (dermal) No information available mg/kg

ATEmix (inhalation-gas)
ATEmix (inhalation-dust/mist)
ATEmix (inhalation-vapor)

No information available
No information available

# 12. ECOLOGICAL INFORMATION

## **Ecotoxicity**

85 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

# Persistence and degradability

No information available.

## **Bioaccumulation**

No information available.

Other adverse effects No information available

# 13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

TDG Not regulated

MEX Not regulated

ICAO (air) Not regulated

IATA Not regulated

IMDG Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

# 15. REGULATORY INFORMATION

International Inventories On Inventory (Yes/No)

**TSCA** Yes **DSL/NDSL** Yes **EINECS/ELINCS** Yes **ENCS** Yes **IECSC** Yes **KECL** Yes **PICCS** Yes **AICS** Yes

## Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

# **US Federal Regulations**

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

#### **CWA (Clean Water Act)**

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

## **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

## **US State Regulations**

# **California Proposition 65**

This product contains the following Proposition 65 chemicals:

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PVC HOMOPOLYMER RESIN	X	-	=
9002-86-2			
DIPHENYLOXIDE-4,4'-DI-SULFOH	X	-	<del>-</del>
YDRAZIDE			
80-51-3			

#### U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

# 16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA Health hazards 1 Flammability 0 Instability 0 Physical and Chemical

Properties -

Health hazards 1 Flammability 0 Physical hazards 0 Personal protection B

 Issue Date
 04-Dec-2017

 Revision Date
 19-Mar-2018

**Revision Note** 

SDS sections updated 15

#### **Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**