

SAFETY DATA SHEET

Issue Date 01-Jun-2015

Revision Date 16-Mar-2018

Version 8

1. IDENTIFICATION

Product identifier Product Name	EF POLY LB SIENNA BROWN		
<u>Other means of identification</u> Product Code Synonyms	ATHP7031 ATHP703101, ATHP703103, ATHP703104, ATHP703105, ATHP703107, ATHP703108, ATHP703109, ATHP703110, ATHP703112, ATHP703113, ATHP703114, ATHP703115, ATHP703116, ATHP703117, ATHP703119, ATHP703120, ATHP703121, ATHP703122, ATHP703123, ATHP703133, ATHP703135, ATHP703155		
Recommended use of the chemical and restrictions on use Recommended Use Textile ink. Restricted to professional users. Uses advised against No information available Details of the supplier of the safety data sheet Manufacturer Address Rutland Group Details of the safety data sheet			
10021 Rodney Street Pineville, NC 28134 Tel: 704-553-0046			
E-mail address	product_safety@rutlandinc.com		
Emergency telephone number Emergency Telephone	INFOTRAC 1-352-323-3500		

Page 1/11

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

1	Acute toxicity - Dermal	Category 4
	Acute toxicity - Dermal	Calegoly 4

Label elements

	Emergency Overview	
Warning		
Hazard statements Harmful in contact with skin		
Appearance viscous	Physical state liquid	Odor Low

Precautionary Statements - Prevention

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific treatment (see .? on this label) IF ON SKIN: Wash with plenty of soap and water Call a POISON CENTER or doctor/physician if you feel unwell Wash contaminated clothing before reuse

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

Not applicable

Unknown acute toxicity

85.7% of the mixture has not undergone testing for acute toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance

Chemical Name	CAS No.	Weight-%	Trade Secret
PVC HOMOPOLYMER RESIN	9002-86-2	10 - 30	*
CALCIUM CARBONATE	1317-65-3	5 - 10	*
TITANIUM DIOXIDE	13463-67-7	1 - 5	*
DIPHENYLOXIDE-4,4'-DI-SULFOHYDRAZIDE	80-51-3	1 - 5	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Eye contact	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.			
Skin contact	Wash skin with soap and water.			
Inhalation	Remove to fresh air.			
Ingestion	Never give anything by mouth to an unconscious person. Rinse mouth. Drink plenty of water. If symptoms persist, call a physician.			
Most important symptoms and effects, both acute and delayed				
Symptoms	No information available.			
Indication of any immediate medical attention and special treatment needed				
Note to physicians	Treat symptomatically.			

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media CAUTION: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

No information available.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation, especially in confined areas.

Environmental precautions

Environmental precautions See section 12 for additional ecological information.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protective equipment as required. Dam up. Cover liquid spill with sand, earth or other non-combustible absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for safe handling

Advice on safe handling Handle in accordance with good industrial hygiene and safety practice.

Conditions for safe storage, including any incompatibilities

Storage Conditions Store at temperatures not exceeding 35 °C/ 95 °F

Incompatible materials None known based on information supplied.

.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m ³ respirable particulate matter	-	-
CALCIUM CARBONATE 1317-65-3	_	TWA: 15 mg/m ³ total dust TWA: 5 mg/m ³ respirable fraction (vacated) TWA: 15 mg/m ³ total dust (vacated) TWA: 5 mg/m ³ respirable fraction	TWA: 10 mg/m ³ total dust TWA: 5 mg/m ³ respirable dust
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³	TWA: 15 mg/m ³ total dust (vacated) TWA: 10 mg/m ³ total dust	IDLH: 5000 mg/m ³
DIPHENYLOXIDE-4,4'-DI-SULFOH YDRAZIDE 80-51-3	TWA: 0.1 mg/m ³ inhalable particulate matter	-	<u>-</u>

NIOSH IDLH Immediately Dangerous to Life or Health

Chemical Name	Alberta OEL	British Columbia OEL	Manitoba OEL	New Brunswick OEL
PVC HOMOPOLYMER RESIN 9002-86-2	-	TWA: 1 mg/m ³	TWA: 1 mg/m ³	-
CALCIUM CARBONATE 1317-65-3	TWA: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 3 mg/m ³ STEL: 20 mg/m ³	-	TWA: 10 mg/m ³
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³	TWA: 10 mg/m ³ TWA: 3 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
DIPHENYLOXIDE-4,4'-DI-S ULFOHYDRAZIDE 80-51-3	-	TWA: 0.1 mg/m ³ Adverse reproductive effect	TWA: 0.1 mg/m ³	-

Chemical Name	Newfoundland OEL	Northwest Territories OEL	Nova Scotia OEL	Nunavut OEL
PVC HOMOPOLYMER	TWA: 1 mg/m ³	-	TWA: 1 mg/m ³	-
RESIN				
9002-86-2				
CALCIUM CARBONATE	-	TWA: 10 mg/m ³	-	TWA: 10 mg/m ³
1317-65-3		STEL: 20 mg/m ³		STEL: 20 mg/m ³
TITANIUM DIOXIDE	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7	-	STEL: 20 mg/m ³	-	STEL: 20 mg/m ³
DIPHENYLOXIDE-4,4'-DI-S	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
ULFOHYDRAZIDE	-	STEL: 0.3 mg/m ³	_	STEL: 0.3 mg/m ³
80-51-3				

Chemical Name	Ontario OEL	Prince Edward Island OEL	Quebec OEL	Saskatchewan OEL	Yukon OEL
PVC HOMOPOLYMER RESIN 9002-86-2	TWA: 1 mg/m ³	TWA: 1 mg/m³	-	-	-
CALCIUM CARBONATE 1317-65-3	-	-	TWA: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 20 mg/m ³	STEL: 20 mg/m ³ TWA: 30 mppcf TWA: 10 mg/m ³
TITANIUM DIOXIDE 13463-67-7	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³ STEL: 20 mg/m ³	STEL: 20 mg/m ³ TWA: 30 mppcf TWA: 10 mg/m ³
DIPHENYLOXIDE-4,4'-DI-S ULFOHYDRAZIDE 80-51-3	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	-	TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³	-

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls

Showers Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).	
Skin and body protection Wear protective gloves and protective clothing.	
Respiratory protection	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Color	liquid viscous colored	Odor Odor threshold	Low No information available
Property pH Melting point/freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability limit: Lower flammability limit: Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties	Values 7 No information available 232 °C / 450 °F No information available >1 1.25 Insoluble in water No information available No information available	<u>Remarks • Method</u>	
Other Information Softening point Molecular weight VOC Content Density Bulk density	No information available No information available 15 g/L No information available No information available		

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Extremes of temperature and direct sunlight.

Incompatible materials

None known based on information supplied.

Hazardous Decomposition Products

None known based on information supplied.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Product Information	No data available
Inhalation	No data available.
Eye contact	No data available.
Skin contact	No data available.
Ingestion	No data available.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
TITANIUM DIOXIDE 13463-67-7	> 10000 mg/kg (Rat)	-	-
DIPHENYLOXIDE-4,4'-DI-SULFOH YDRAZIDE 80-51-3	= 2300 mg/kg (Rat)	> 200 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization	No information available.			
Germ cell mutagenicity	No information available.			
Carcinogenicity	The table belo	ow indicates whether each	agency has listed any in	gredient as a carcinogen
Chemical Name	ACGIH	IARC	NTP	OSHA
PVC HOMOPOLYMER	-	Group 3	-	-
RESIN				
9002-86-2				
TITANIUM DIOXIDE	-	Group 2B	-	X
13463-67-7				
Reproductive toxicity STOT - single exposure				
STOT - repeated exposure				
Target Organ Effects				
Aspiration hazard	No information available.			
Numerical measures of to	xicity - Product Informa	ation		
The following values are o	alculated based on cha	pter 3.1 of the GHS docu	ment	

ATEMIX (oral)	10148 mg/kg	
ATEmix (dermal)	1685 mg/kg	
ATEmix (inhalation-gas)	No information available	
ATEmix (inhalation-dust/mist)	No information available	
ATEmix (inhalation-vapor)	No information available	

12. ECOLOGICAL INFORMATION

Ecotoxicity

90 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability No information available.

Bioaccumulation

No information available.

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and
regulations.Contaminated packagingDo not reuse container.

14. TRANSPORT INFORMATION

DOT	Not regulated
TDG	Not regulated
MEX	Not regulated
ICAO (air)	Not regulated
IATA	Not regulated
IMDG	Not regulated
RID	Not regulated
ADR	Not regulated
ADN	Not regulated

15. REGULATORY INFORMATION

International Inventories

On Inventory (Yes/No)

TSCA	Yes
DSL/NDSL	Yes
EINECS/ELINCS	Yes
ENCS	Yes
IECSC	Yes
KECL	Yes
PICCS	Yes
AICS	Yes

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

No
No
No
No
No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
PVC HOMOPOLYMER RESIN 9002-86-2	Х	-	-
CALCIUM CARBONATE 1317-65-3	Х	X	Х
DIPHENYLOXIDE-4,4'-DI-SULFOH YDRAZIDE 80-51-3	X	-	-

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

NFPA_	Health hazards 1	Flammability 1	Instability 0	Physical and Chemical Properties -
HMIS_	Health hazards 1	Flammability 1	Physical hazards 0	Personal protection B
Issue Date Revision Date	01-Jun-2015 16-Mar-2018			

Revision Date Revision Note SDS sections updated 4 7 15

Disclaimer

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet